




FEATURES:

- OSD Menu control
- Built In 3.5-8mm manual Vari-Focal lens
- Lens adjustable external
- 1/3" Sony Super HAD CCD
- Support DC or video Iris lens
- BLC and AGC
- Auto White Balance



Model	BX-322CSVF
Image Sensor	1/3 Super Had CCD
DSP System	PROVISION-ISR DSP Chipset
TV System	PAL / NTSC
Effective Pixels	NTSC: 537(H) x 505(V) PAL: 537(H) x 597(V)
Scanning Area	3.6mm x 2.7mm
Horizontal Resolution	420 TV lines
Minimum Illumination	0.5 Lux
Lens Mount	3.5 ~ 8mm Vari-Focal from Korea
Control Method	On screen menu control (OSD)
S/N Ratio	More than 48dB
Electronic Shutter	1/50 ~ 1/10000 sec
Gamma Modification	0.45
Gain Control	Adjustable
Backlight Compensation	Adjustable
White Balance	AWB/ATW/USRS
Synchronous System	Internal
Video Output	1.0Vp p composite video signal 75 Ω
Operating Temperature	-10°C to 50°C
Power Supply Voltage	DC 12V
Power Consumption	150mA
Dimension	60(W)x55(H)x120(L)mm
Weight	400g



Weight: 400g

Rear View

Vari-Focal Lens